



Formica National Availability Guide

September 2017



Formica Availability Guide - July 2017

		Standard Formica Range				180fx	AR Plus Solid Colours	ColorCore	ARtouch	Laminate Grade Minimum radius	Cut sheets available	Melteca Match	Matching Edging	
		Antimicrobial	3600 x 1500	3595 x 1395	2400 x 1200	3050 x 1220 x 1.0mm	3595 x 1395	3595 x 1395 x 1.2mm	3050 x 1220 x 1.3mm	3050x1300				
Décor	Structure	Finish												
A	Aged Ash	Woodgrain			Naturelle						PF 6mm	✘	=	
	Alpine Marble	Stone	☐	Velour							PF 4.5mm	✘		
	Alpine Marble	Stone			AR Plus						PF 8mm	✘		
	Alpino	Solid					AR Plus				-		◊	
	Amaretto Stone	Stone	☐	Velour							PF 4.5mm	✘		
	Amaretto Stone	Stone			AR Plus						PF 8mm	✘		
	Antique Wiluna White	Solid	☐	Velour							PF 10mm	✘	=	
	Antique Wiluna White	Solid			AR Plus						PF 8mm	✘		
	Antler	Solid	☐	Velour							PF 10mm	✘		
	Arctic Stone	Stone	☐	Velour							PF 4.5mm	✘		
	Ash Woodline	Woodgrain	☐	Velour							PF 4.5mm	✘	=	
	Asphalt	Solid	☐	Velour							PF 10mm	✘		
	Asphalt	Solid			AR Plus						PF 8mm	✘		
	B	Baikal	Solid	☐	Velour							PF 10mm	✘	=
		Basalt Slate	Stone			Honed						PF 6mm	✘	
Basalt Slate		Stone			Etchings						PF 6mm	✘		
Bianca Luna		Stone					Matt				PF 8mm	✘*	☒	
Bianca Luna		Stone					GlossPlus				PF 8mm	✘*	☒	
Black		Solid	☐	Velour							PF 10mm	✘	=	
Black		Solid						ColorCore			-			
Black		Solid	☐						ARtouch		PF 8mm		◊	
Black Fusion		Pattern					Satin				PF 8mm			
Blackened Legno		Woodgrain			Naturelle						PF 6mm	✘	=	
Black Finestone		Pattern			AR Plus						PF 8mm	✘		
Blackstone		Pattern	☐	Velour							PF 7mm	✘		
Blackstone		Pattern			AR Plus						PF 8mm	✘		
Bliss Cinder		Pattern	☐	Velour							PF 7mm	✘	=	
Bliss Shitake		Pattern	☐	Velour							PF 4.5mm	✘	=	
Blue Moon	Solid	☐	Velour							PF 4.5mm	✘			
Blue Quartz	Stone	☐	Velour							PF 4.5mm	✘			
Bright White	Solid							ColorCore		-				
Brushed Aluminium	Metallic				Metallic					-				
Brushed Nickel	Pattern	☐	Velour							PF 4.5mm	✘	=		
Brushed Pewter	Metallic				Metallic					-	✘			
Brushed Silver	Pattern	☐	Velour							PF 7mm	✘	=		
Brushed Zinc	Pattern	☐	Velour							PF 7mm	✘			
Brushwood	Woodgrain	☐	Velour							PF 7mm	✘			
Bud	Solid		Velour							PF 10mm	✘			
C	Café Crema	Stone			AR Plus						PF 8mm	✘		
	Cappuccino	Solid	☐	Velour							PF 8mm	✘		
	Caribbean	Solid	☐	Velour							PF 8mm	✘	=	
	Carnaval	Solid					AR Plus				-		♦	
	Carerra Marble	Stone					GlossPlus				PF 8mm	✘*	☒^	
	Carerra Marble	Stone					Matt				PF 8mm	✘*	☒	
	Cassis	Solid					AR Plus				-		♦	
	Charred Oak	Woodgrain	☐	Velour							PF 4.5mm	✘	=	
	Cherry	Woodgrain	☐	Velour							PF 4.5mm	✘		
	Chrome Yellow	Solid						AR Plus			-		♦	
	Cinnamon Ash	Woodgrain	☐	Velour							PF 4.5mm	✘	=	
	Clementine	Solid						AR Plus			-		♦	



Formica Availability Guide - July 2017

		Standard Formica Range					180fx	AR Plus Solid Colours	ColorCore	ARtouch	Laminate Grade Minimum radius	Cut sheets available	Melteca Match	Matching Edging
		Antimicrobial	3600 x 1500	3595 x 1395	2400 x 1200	3050 x 1220 x 1.0mm	3595 x 1395	3595 x 1395 x 1.2mm	3050 x 1220 x 1.3mm	3050x1300				
Décor	Structure	Finish												
Cocoa Marble	Stone			Etchings							PF 6mm	✘		
Cocoa Sand	Pattern	☐	Velour								PF 4.5mm	✘		
Concrete Stone	Stone	☐	Velour								PF 4.5mm	✘		
Cosmopolitan Concrete	Stone			Riverwash							PF 6mm	✘		
Crystal White	Solid			Velour							PF 10mm	✘		
Crystal White	Solid			AR Plus							PF 8mm	✘		
Crystal White	Solid						AR Plus				-			○
Dawn Grey	Solid	☐	Velour								PF 8mm	✘	=	
Deep Anthracite	Solid	☐	Velour								PF 10mm	✘		
Diamond Black	Solid						AR Plus				-			○
Doe Skin	Solid	☐	Velour								PF 8mm	✘	=	
Dolce Vita	Stone					Satin					PF 8mm	✘		
Earth Wash	Pattern	☐	Velour								PF 4.5mm	✘		
Ebony Oxide	Stone	☐	Velour								PF 7mm	✘		
Ebony Wood	Woodgrain			Naturelle							PF 6mm	✘		
Elemental Concrete	Stone	☐	Velour								PF 4.5mm	✘		
Energise	Solid	☐	Velour								PF 8mm	✘	=	
Finesse Sand	Pattern	☐	Velour								PF 4.5mm	✘		
Ferro Grafite	Stone					Satin					PF 8mm	✘*		☒
Ferro Grafite	Stone					GlossPlus					PF 8mm	✘*		☒
Finesse Stone	Pattern	☐	Velour								PF 4.5mm	✘		
Finesse Taupe	Pattern	☐	Velour								PF 4.5mm	✘		
Fini Blonde	Woodgrain	☐	Velour								PF 4.5mm	✘		
Fini Wenge	Woodgrain	☐	Velour								PF 7mm	✘		
Flinders Black	Stone	☐	Velour								PF 7mm	✘		
Flinders Black	Stone			AR Plus							PF 8mm	✘		
Flinders Blue	Stone	☐	Velour								PF 4.5mm	✘		
Flint Crystal	Stone	☐	Velour								PF 4.5mm	✘		
Flint Crystal	Stone			AR Plus							PF 8mm	✘		
Folkestone	Solid										-			
Folkestone	Solid						AR Plus	ColorCore			-			○
French Sandstone	Stone	☐	Velour								PF 4.5mm	✘		
Glossy White	Solid					Magnetic					-			
Graphite	Solid	☐	Velour								PF 8mm	✘		
Grey Finestone	Pattern	☐	Velour								PF 4.5mm	✘		
Grey Kashmir	Stone			AR Plus							PF 8mm	✘		
Ice Quarstone	Stone			AR Plus							PF 8mm	✘		
Idyllic	Woodgrain	☐	Velour								PF 4.5mm	✘		
Indian Sage	Solid	☐	Velour								PF 8mm	✘		
Ink	Solid	☐	Velour								PF 8mm	✘		
Iron Ore	Solid	☐	Velour								PF 8mm	✘	=	
Iron Ore	Solid			GlossPlus							PF 8mm	✘		
Ironstone	Pattern	☐	Velour								PF 4.5mm	✘	=	
Jamocho Granite	Stone			Etchings							PF 6mm	✘		
Jarrah	Woodgrain	☐	Velour								PF 7mm	✘		
Jarrah Legno	Woodgrain			Naturelle							PF 6mm	✘	=	
Jet Sequioa	Pattern					GlossPlus					PF 8mm	✘		☒
Jet Sequioa	Pattern					Matt					PF 8mm	✘		☒
Juicy Pink	Solid						AR Plus				-			◆



Formica Availability Guide - July 2017

		Standard Formica Range					180fx	AR Plus Solid Colours	ColorCore	ARtouch	Laminate Grade Minimum radius	Cut sheets available	Melteca Match	Matching Edging
		Antimicrobial	3600 x 1500	3595 x 1395	2400 x 1200	3050 x 1220 x 1.0mm	3595 x 1395	3595 x 1395 x 1.2mm	3050 x 1220 x 1.3mm	3050x1300				
	Décor	Structure	Finish											
M	Just Blue	Solid	□	Velour							PF 10mm	✘		
	Malibu	Solid	□	Velour							PF 10mm	✘		
	Marbled Cappuccino	Pattern					GlossPlus				PF 8mm	✘		
	Marine Blue	Solid						AR Plus			-			♦
	Maui	Solid						AR Plus			-			♦
	Matt Black	Solid				Magnetic					-			
	Memphis Blue	Solid	□	Velour							PF 8mm	✘	=	
	Memphis Green	Solid		Velour							PF 10mm	✘	=	
	Memphis Red	Solid	□	Velour							PF 8mm	✘	=	
	Metropolitan Concrete	Pattern	□	Velour							PF 4.5mm	✘		
	Metropolitan Concrete	Pattern			AR Plus						PF 8mm	✘		
	Mineral Spa	Stone	□	Velour							PF 4.5mm	✘		
	Mist Grey	Solid	□	Velour							PF 8mm	✘		
	Mist Grey	Solid			AR Plus						PF 8mm	✘		
	Mocca Pearl	Stone			AR Plus						PF 8mm	✘		
	Mocha	Solid	□	Velour							PF 8mm	✘		
	Mocha Strand	Woodgrain	□	Velour							PF 4.5mm	✘		
Mulga	Solid		Velour							PF 10mm	✘			
N	Neo Cloud	Pattern	□						ARTouch	PF 8mm			△	
	Neo Cyclone	Pattern	□						ARTouch	PF 8mm			△	
	Neo Tornado	Pattern	□						ARTouch	PF 8mm			△	
	New Stainless Steel	Pattern	□	Velour						PF 7mm	✘	=		
O	Oiled Legno	Woodgrain			Naturelle					PF 6mm	✘	=		
	Perlato Granite	Stone			Etchings					PF 6mm	✘			
P	Pietro Nero	Stone	□	Velour						PF 4.5mm	✘			
	Pietro Nero	Stone			AR Plus					PF 8mm	✘			
	Plex Aluminium	Metallic				Metallic				-				
	Plex Argent	Metallic				Metallic				-				
	Plex Gold	Metallic				Metallic				-				
	Plex Graphite	Metallic				Metallic				-				
	Polished Aluminium	Metallic				Metallic				-		✘		
	Pomegranate	Solid	□	Velour							PF 10mm	✘		
	Prestige Walnut	Woodgrain	□	Velour							PF 7mm	✘		
	Provenance	Stone	□	Velour							PF 4.5mm	✘		
R	Pure Marble	Stone	□	Velour						PF 4.5mm	✘			
	Pure Marble	Stone			AR Plus					PF 8mm	✘			
	Refined Oak	Woodgrain	□	Velour						PF 4.5mm	✘	=		
	Rock Salt	Pattern	□	Velour						PF 4.5mm	✘	=		
	Sand Crystal	Stone	□	Velour						PF 4.5mm	✘			
	Sarum Grey	Solid	□	Velour						PF 10mm	✘			
	Sarum Strand	Woodgrain	□	Velour						PF 4.5mm	✘			
	Seal Grey	Solid	□	Velour						PF 4.5mm	✘	=		
	Silver Shadow	Print	□	Velour						PF 7mm	✘			
	Silver Strata	Pattern	□	Velour						PF 4.5mm	✘	=		
S	Silver Strata	Pattern			AR Plus					PF 8mm	✘	=		
	Smoke Strand	Woodgrain	□	Velour						PF 4.5mm	✘	=		
	Snowdrift	Solid	□	Velour						PF 8mm	✘	=		
	Snowdrift	Solid			AR Plus					PF 8mm	✘			
	Soapstone Sequoia	Pattern					GlossPlus				PF 8mm			



Formica Availability Guide - July 2017

		Standard Formica Range					180fx	AR Plus Solid Colours	ColorCore	ARtouch	Laminate Grade Minimum radius	Cut sheets available	Melteca Match	Matching Edging
		Antimicrobial	3600 x 1500	3595 x 1395	2400 x 1200	3050 x 1220 x 1.0mm	3595 x 1395	3595 x 1395 x 1.2mm	3050 x 1220 x 1.3mm	3050x1300				
Décor	Structure	Finish												
Soft Maple	Woodgrain	☐	Velour								PF 4.5mm	✘		
Storm	Solid	☐	Velour								PF 10mm	✘	=	
Storm	Solid						AR Plus				-			◊
Storm	Solid	☐							ARtouch		PF 8mm			◊
Straight Grain Wenge	Woodgrain	☐	Velour								PF 7mm	✘		
Streetlight	Solid	☐	Velour								PF 8mm	✘	=	
Streetlight	Solid			AR Plus							PF 8mm	✘		
Sunflower	Solid	☐	Velour								PF 10mm	✘	=	
Tasmanian Ash	Woodgrain	☐	Velour								PF 4.5mm	✘		
Tropical Blue	Solid						AR Plus				-			♦
Tuscan Marble	Stone	☐	Velour								PF 4.5mm	✘		
Umbrian Granite	Stone	☐	Velour								PF 4.5mm	✘		
Velveteen	Solid	☐	Velour								PF 8mm	✘	=	
Velveteen	Solid			AR Plus							PF 8mm	✘		
Vibrant Green	Solid						AR Plus				-			♦
Warm White	Solid	☐	Velour								PF 10mm	✘	=	
Warm White	Solid			AR Plus							PF 8mm	✘		
Warm White	Solid	☐							ARtouch		PF 8mm			◊
Wasabi	Solid						AR Plus				-			♦
Weathered Cement	Pattern						Satin				PF 8mm	✘		☒
White	Solid							ColorCore			-			
White Finestone	Pattern	☐	Velour								PF 4.5mm	✘		
White Finestone	Pattern			AR Plus							PF 8mm	✘		
White Kashmir	Stone			Etchings							PF 6mm	✘		
White Kashmir	Stone			AR Plus							PF 8mm	✘		
White Quartz	Stone			Etchings							PF 6mm	✘		



Formica Availability Guide - July 2017

Standard Formica Range					180fx	AR Plus Solid Colours	ColorCore	ARtouch	Laminate Grade Minimum radius	Cut sheets available	Melteca Match	Matching Edging
Antimicrobial	3600 x 1500	3595 x 1395	2400 x 1200	3050 x 1220 x 1.0mm	3595 x 1395	3595 x 1395 x 1.2mm	3050 x 1220 x 1.3mm	3050x1300				
Décor		Structure		Finish								

Cut Sheet Options											
Velour (excl Crystal White Velour) Std Sheet 3600 x 1500	✂	GlossPlus (AR+), Honed, Etchings, Naturelle, Riverwash Std Sheet 3595 x 1395	✂	Metallics Std Sheet 2400 x 1200	✂	Formica 180fx Std Sheet Size 3595 x 1395	✂*	Due to the nature of the large scale design of 180fx, Laminex NZ cannot guarantee batch or pattern matching of cut sheets.			
	3600 x 750		3595 x 695		2400 x 300		3595 x 695		1795 x 1395		
	1800 x 1500		1795 x 1395				1795 x 695				
1800 x 750											

Key	
Cut Sheets Available	✂
Melteca match available	=
Post Forming Grade	PF
23mm ABS Edging match	♦
43mm Acrylic Edging match	☒
63mm Acrylic Edging match	^
23mm & 45mm ABS Edging match	○
21mm and 42mm ABS edging match	◇
42mm ABS edging match	△
Anti-microbial	□

Dispatch Times	
North Island	Orders placed before 3:30pm Mon-Fri will be dispatched same day, for delivery the following business day. Subject to availability.
South Island	Orders placed before 1:00pm Mon-Fri will be dispatched same day, for delivery the following business day. Subject to availability.

Post Forming Guide - minimum radius	
Solid Velour	8mm
Pattern & Woodgrain Velour	4.5mm
GlossPlus, AR Plus, Riverwash, Etchings, Honed, Naturelle & Matt	8mm
ARtouch	8mm

* Naturelle finish Recommended for light-duty horizontal and vertical interior applications only.

* GlossPlus and AR Plus finish is the same finish

* Formica® laminate is no different from any other material in that darker colours, gloss and semi-gloss finishes, such as AR Plus, GlossPlus or Etchings will show scratches and superficial wear and tear more readily than lighter colours or lower gloss finishes.

For more product or order enquiries please phone Customer Services on 0800 303 606 to speak with a representative from Laminex New Zealand

If you require a sample, please phone our QuickChip sample service on 0800 99 99 39 or fax 0800 99 99 59

www.formica.com/en/nz